




*iddero*

Home and building  
automation





Iddero manufactures products for home and building automation based on the KNX standard.

Iddero products are manufactured in Europe following the strictest national and international quality and security standards and guidelines.

KNX is an international standard for home and building control, adopted by hundreds of manufacturers worldwide. The wide range of compatible products allows for optimal configuration of the installation, according to the needs of each particular case.



# IDDERO **VERSO**

Room controller with 4.3"  
capacitive touch display

be surprised



## **Elegant. Compact. Versatile.**

Meet the new Iddero Verso with 4.3" capacitive touch display. Available in white or black, the unit can be installed in portrait or landscape mode. The perfect choice for any environment.



*iddero*




# IDDERO **VERSO**

### A user interface you will actually want to use

Discover a beautifully crafted user interface where every detail has been carefully designed. Combine a wide range of widgets, including RGBW pickers, regulation bars, rotary controls, and much more. Touch gestures, user-editable favorites page, configurable background images... a visualisation built to meet your needs and preferences.

### Not just a pretty face

Time schedules, alarm monitoring, an internal scene controller, two independent thermostats, built-in temperature sensor, four multifunction inputs, integrated KNX bus coupler... the new Iddero Verso has everything you need for your next KNX project.



Available finishes:

- Black
- White

# VERSO+IP

## Now with IP connectivity

The new **VERSO+IP** retains the elegant design, attractive visualisation, and advanced functionality of the Iddero Verso KNX room controller, and adds an Ethernet port for IP connectivity.

## Remote control from smartphones and tablets

Get anytime, anywhere remote access to your **VERSO+IP** from your smartphone or tablet. Mobile apps available for iOS and Android. Support for push notifications.

## No worries; no hassles

Both direct (LAN) connection and cloud-based operation are supported; no additional configuration required. Communications are fully encrypted and 100% secure. With the new **VERSO+IP**, you just can't go wrong.



# iddero **HC3 / HC3L**

“All-in-one” touch panels with integrated web server and video door phone function

you can have it all




HC3L-KNX 10.1"



HC3-KNX 7"

# iddero HC3 / HC3L



## Attractive visualisation

Intuitive, user-friendly visualisation with a clean and polished user interface. Supports up to 512 custom pages. Graphical navigation through maps and zones, a wide range of widgets, configurable background images, touch gestures, and much more.

## Remote access

Integrated web server for remote access from any smartphone or tablet, or from desktop web browsers. Compatible with the idderocloud service.

## Feature-packed

Time schedules, user-editable scenes, alarm monitoring, presence simulation, notifications, logic and arithmetic functions, integrated thermostats, four multi-function inputs, battery-backed real time clock, direct connection to the KNX bus...

## Easy, intuitive configuration

Create your projects in a matter of minutes using the iddero-config configuration software, even without actual access to the target device. Ultra-fast programming over IP.



## Door phone function and IP camera visualisation

Receive door phone calls on your HCx-KNX touch panel and enjoy high quality video and full duplex audio with echo cancellation. Direct support for IP door stations from main door phone manufacturers. Support for generic SIP door stations.

Up to 8 door stations can be configured per site, with automatic identification of incoming calls (caller ID function). Support for direct (P2P) calls and registration to external SIP servers. Visualisation of up to 32 additional IP cameras.

Full KNX integration: Communication objects for door phone events, activation of door relays via KNX telegrams, etc.

DoorBird



MURA



Comelit

BAUDISCH


iddero




HC3L-KNX 10.1"  
GLASS white finish

# iddero **HC3 / HC3L**

## Models



HC3-KNX  
7" capacitive touch panel with TFT display



HC3L-KNX  
10.1" capacitive touch panel with IPS display

## Available finishes

### CLASSIC series



Black



White



Grey

### GLASS series



Black



White



# iddero Home Server

Compact web server for smartphone or tablet operation

A complete solution for control and monitoring of KNX installations, with all the functionality you need. Intuitive, user-friendly visualisation from any smartphone or tablet (iOS, Android), or from any device equipped with a supported web browser. Remote access through the idderocloud service.

Direct connection to the KNX bus. Includes 8 multi-function inputs: 4 binary inputs, plus 4 configurable binary or temperature probe inputs.



## Expansion

### GSM expansion module

Control your KNX installation from anywhere using text messages or through the "missed call" function. Activate scenes remotely, turn on the heating, or make sure all lights are off. Receive SMS alerts automatically upon detection of a technical alarm or fault condition. Ideal for second homes without Internet access.

Compatible with Iddero HCx-KNX touch panels and Iddero Home Server.



### Temperature probes

NTC-type temperature probes. Effective measurement range: -30 ... 90°C.

Compatible with Iddero HCx-KNX touch panels, Iddero Home Server, and Iddero Verso / **VERSO+IP**.



## System devices

### KNX power supply

Ultra-compact 640 mA KNX power supply with secondary 30 VDC power output. With status LEDs and bus RESET button.






## Control your home from anywhere

Anytime, anywhere remote access to your Iddero products from your smartphone, tablet, or PC. No need for static IP addresses, dynamic DNS, port forwarding, or messing around with the router's configuration.

- Available for HCx-KNX, Iddero Home Server, and **VERSO+IP**
- Compatible with iOS, Android, and mainstream PC web browsers
- All communications are encrypted and 100% secure
- Completely free of charge

## Start using idderocloud in three easy steps!



1

Create an account at [idderocloud.com](http://idderocloud.com)



2

Activate the idderocloud service in your Iddero touch panel or Iddero Home Server



3

Done! You can now access your iddero device through your [idderocloud.com](http://idderocloud.com) account

An Internet connection is required in both the installation site and the remote access location. Please check service terms and conditions at [idderocloud.com](http://idderocloud.com)





# MURA IP



## A unique experience

Enjoy full colour video and high-quality digital audio in wall-mounted indoor monitors (Iddero HCx-KNX and Iddero Touchone), IP videophones, or directly on your smartphone or tablet (\*).

## Feature highlights

- Colour camera with night mode LED illumination
- Full duplex audio with acoustic echo cancellation
- 1, 2, or 4 direct call buttons. Optional keypad.
- Supports up to 999 users (with keypad option)
- Up to 5 call destinations per user; destinations can be called in parallel or sequentially
- Direct input of lock codes via keypad
- 2 onboard relays + control of 2 external (IP) relays
- Custom audio messages
- SIP compatible: Supports SIP mode and P2P mode (no SIP server required)

(\*) Receiving calls in your smartphone or tablet may require additional apps available in Apple's App Store and Google Play. Some apps may only be available as paid apps, or their use may be subject to a fee. The video and audio quality may depend on the performance and quality of the data network.

# MURA IP




## Attractive. Durable. Versatile.


MURA IP features a neutral design with straight and clean lines. Its attractive and minimalist style is in perfect harmony with contemporary architecture. The body is made of anodized aluminium, a material that was selected for its aesthetic value and exceptional outdoor resistance. MURA IP is built to last.

## Easy installation


MURA IP can be easily and quickly installed on any surface. No wall mounting box is required. A single Ethernet cable combines power and data. Easy configuration through a standard web browser.




MIP-T1  
MIP-T1C




MIP-T2  
MIP-T2C




MIP-T4  
MIP-T4C



MIP-TK1  
MIP-TK1C



MIP-TK4  
MIP-TK4C



Touchone 7"

Lighting control using Iddero products in Benares Madrid restaurant, led by renowned Indian chef Atul Kochhar, awarded with two Michelin stars.

This project won the first prize in the "Building Automation" category in the VIII Edición Premios a la mejor Instalación Domótica y mejor Instalación Inmótica (VIII Edition of the Awards for Best Home and Building Automation Installations) of the Community of Madrid.



*iddero*

Av. Juan López Peñalver, 21  
Parque Tecnológico de Andalucía  
29590 Málaga (Spain)

[info@iddero.com](mailto:info@iddero.com)

[www.iddero.com](http://www.iddero.com)